



WEST
Product Catalog



Achieve authentic character and
UNCOMPROMISING PERFORMANCE.

Unique Formulation


Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements



It's time to
BUILD SOMETHING TIMELESS.

Installed on over 5.5 million homes from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

Unique Formulation	Finishing Technology	100% HARDIE Complete Exterior™	The James Hardie Difference	Warranty	Endorsements
● HardieZone® System		HZ5® and HZ10® Substrate			

HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS



Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements

● HardieZone® System

HZ5® and HZ10® Substrate



HardieShingle®
7 in. Straight
Edge Panel
Timber Bark

HardieTrim®
5/4 x 3.5 in.
Timber Bark

HardiePlank®
6.25 in. Select
Cedarmill®
Khaki Brown

TOUGHER THAN THE
ELEMENTS



Stands up to storms
and harsh weather



Water resistant
to protect against
swelling, warping
and cracking; also
resists mold damage



Won't be eaten by
animals or insects



Fire resistant



Helps reduce time
and money spent
on maintenance

Unique Formulation

HZ5® and HZ10® Substrate


Not all fiber cement is the same. The James Hardie HZ5 and HZ10 products contain the highest quality raw materials. Our unique formulations, combined with innovative product design and manufacturing processes, create two distinct substrates. Each substrate is precisely engineered to resist water absorption, cracking, shrinking and swelling in the specific region for which it is designed.

PROPRIETARY ENHANCEMENTS CREATE THE MOST DURABLE JAMES HARDIE® SIDING EVER MADE



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.



Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the substrate matrix to provide durable moisture resistance.



Increased dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.

Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™


The James Hardie
Difference

Warranty

Endorsements

HardieZone® System

● HZ5® and HZ10® Substrate



Integrity is ingrained
IN EVERYTHING WE DO.



**UNMATCHED INVESTMENT IN
MANUFACTURING SCALE AND
PRODUCT INNOVATION**

- Largest manufacturer of fiber cement in North America
- 5x more capacity than our largest competitor
- More than 100 process and product quality checks
- 100+ scientists and engineers provide dedicated resources for continuous innovation in manufacturing and product development
- More U.S. fiber cement patents than any competitor

**YOUR RETURNS ON
OUR INVESTMENT**

- Superior siding and trim performance for beauty that lasts
- Consistency in appearance from board to board
- Natural-looking profiles for authentic character

Primer

A quality primer is the first step to ensuring that the paint color you select beautifully expresses a home’s true character now – and for years to come. Our primer is climate-tested and engineered for climate and for use with paint on James Hardie fiber cement siding products. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.



ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance. Our products aren’t simply painted at the factory. Multiple coats of color are baked onto the board, creating a vibrant, consistent finish that performs better, lasts longer and looks brighter on your homes.

- Superior finish adhesion
- Superior UV resistance
- Superior color retention
- Year-round installation



Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements



HardieShingle®
7 in. Staggered
Edge Panel
Iron Gray

HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
7.25 in. Select
Cedarmill®
Monterey Taupe

For timeless beauty
BEGIN WITH THE FINISH.

Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements

100% HARDIE Complete Exterior™

Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.



Your homes mean everything
BUILD 100% HARDIE™

Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference

Warranty

Endorsements

See the James
Hardie Difference



James Hardie invented fiber cement. Over 5.5 million installations later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our people, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

As unforgettable
AS IT IS UNCOMPROMISING.

Unique Formulation

Finishing Technology

100% HARDIE
Complete Exterior™

The James Hardie
Difference


Warranty

Endorsements



Warranty

James Hardie Non-Prorated Siding Warranty Coverage



Protect your home with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding warranty coverage. We stand behind our siding 100% for 30 years.

ColorPlus Technology finishes and HardieTrim boards come with 15-year limited warranties.

Endorsements — a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.*

BRAND LEADER
Builder
WINNER SINCE 2009

Chosen by builders as a **Brand Leader**
in **Builder Magazine** since 2009



Featured on the **DIY Network's**
Blog Cabin since 2012



#1 Return on Investment every year
since 2005 in **Remodeling Magazine****



HardiePlank lap siding is backed
by the **Good Housekeeping Seal**

*Endorsements are accurate as of 2015.

***Remodeling* magazine's 'Cost vs. Value Report' states that re-siding a home with fiber cement siding provides the #1 return on investment for projects in the upscale category.

HardiePlank®









Sleek and strong, HardiePlank® lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.

HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
6.25 in. Smooth
Arctic White

A classic look for
THE HOME OF THEIR DREAMS.

Siding	Trim	Soffit	HardieWrap®	Finishing Touches
<div> <div></div> HardiePlank® Lap Siding </div>	HardiePanel® Vertical Siding		HardieShingle® Siding	
<div> <div>SELECT CEDARMILL®</div> <div>Woodstock Brown</div>  </div>	<div> <div>SMOOTH</div> <div>Countrylane Red</div>  </div>	<div> <div>BEADED CEDARMILL®</div> <div>Khaki Brown</div>  </div>	<div> <div>BEADED SMOOTH</div> <div>Heathered Moss</div>  </div>	
<div> <div>CUSTOM COLONIAL™ ROUGHSAWN</div> <div>Mountain Sage</div>  </div>	<div> <div>CUSTOM COLONIAL™ SMOOTH</div> <div>Timber Bark</div>  </div>	<div> <div>RUSTIC CEDAR*</div> <div>Not available with ColorPlus Technology</div>  </div>		
<div> <div>*Rustic Cedar available exclusively in Washington and Oregon districts.</div> <div>Products are available primed or with ColorPlus Technology finishes. All sizes and textures not available in all areas. For more details, visit jameshardie.com</div> </div>				
<div>  <div>JamesHardie</div> <div>Siding Trim</div> </div>	ABOUT JAMES HARDIE		PRODUCTS	COLOR



SELECT CEDARMILL®

Woodstock Brown

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.*
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet		280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3

Available Colors



View all HardiePlank Lap Siding Products

*These 9.25 in. and 12 in. are only available primed.



SMOOTH

Countrylane Red

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.*
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet		280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3

Available Colors



View all HardiePlank Lap Siding Products

*These 9.25 in. and 12 in. are only available primed.



BEADED CEDARMILL®

Khaki Brown

Thickness	5/16 in.
Length	12 ft. planks
Width	8.25 in.
Exposure	7 in.
ColorPlus Pcs./Pallet	210
Prime Pcs./Pallet	240
Pcs./Sq.	14.3

Available Colors



View all HardiePlank Lap Siding Products



BEADED SMOOTH

Heathered Moss

Thickness	5/16 in.
Length	12 ft. planks
Width	8.25 in.
Exposure	7 in.
ColorPlus Pcs./Pallet	210
Prime Pcs./Pallet	240
Pcs./Sq.	14.3

Available Colors



View all HardiePlank Lap Siding Products



CUSTOM COLONIAL™ ROUGHSAWN

Mountain Sage

Thickness	5/16 in.
Length	12 ft. planks
Width	8 in.
Exposure	6.75 in.
ColorPlus Pcs./Pallet	216
Prime Pcs./Pallet	240
Pcs./Sq.	14.9

Available Colors



View all HardiePlank Lap Siding Products



CUSTOM COLONIAL™ SMOOTH

Timber Bark

Thickness	5/16 in.
Length	12 ft. planks
Width	8 in.
Exposure	6.75 in.
ColorPlus Pcs./Pallet	216
Prime Pcs./Pallet	240
Pcs./Sq.	14.9

Available Colors



View all HardiePlank Lap Siding Products

Siding	Trim	Soffit	HardieWrap®	Finishing Touches
● HardiePlank® Lap Siding	HardiePanel® Vertical Siding		HardieShingle® Siding	



RUSTIC CEDAR*

Not available with ColorPlus Technology

Thickness	5/16 in.	
Length	12 ft. planks	
Width	6.25 in.	8.25 in.
Exposure	5 in.	7 in.
Prime Pcs./Pallet	308	230
Pcs./Sq.	20	14.3

[View all HardiePlank Lap Siding Products](#)

*Rustic Cedar available exclusively in Washington and Oregon districts.

Siding

Trim

Soffit

HardieWrap®

Finishing Touches

HardiePlank® Lap Siding


● HardiePanel® Vertical Siding

HardieShingle® Siding

HardiePanel®

HardiePanel® vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.



True to the tradition of
PERFORMANCE AND BEAUTY.

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com



SELECT CEDARMILL®

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

Available Colors



View all HardiePanel Vertical Siding Products

*All 4 ft. x 9 ft. HardiePanel vertical siding only available primed.



SMOOTH

Evening Blue

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

Available Colors



View all HardiePanel Vertical Siding Products

*All 4 ft. x 9 ft. HardiePanel vertical siding only available primed.



STUCCO

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

Available Colors



View all HardiePanel Vertical Siding Products

*All 4 ft. x 9 ft. HardiePanel vertical siding only available primed.



SIERRA 8

Not available with ColorPlus Technology

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

View all HardiePanel Vertical Siding Products

Siding

Trim

Soffit

HardieWrap®

Finishing Touches

HardiePlank® Lap Siding

HardiePanel® Vertical Siding

● HardieShingle® Siding

HardieShingle®






Restore the look of a grand Cape Cod or add distinction to a handsome bungalow. HardieShingle® siding embodies the enchanting look of cedar shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.

HardieTrim®
4/4 x 7.25 in.

HardieShingle®
7 in. Straight
Edge Panel

Achieve the handcrafted
LOOK OF CEDAR.

Siding	Trim	Soffit	HardieWrap®	Finishing Touches	
HardiePlank® Lap Siding		HardiePanel® Vertical Siding		<div><div></div> HardieShingle® Siding</div>	
<div><div><div><div><div><div>STAGGERED EDGE PANEL</div><div>Sandstone Beige</div><div></div></div></div><div><div><div>STRAIGHT EDGE PANEL</div><div>Iron Gray</div><div></div></div></div><div><div><div>INDIVIDUAL SHINGLES*</div><div>Monterey Taupe</div><div></div></div></div></div><div><div><div><div><div>HALF ROUNDS</div><div>Not available with ColorPlus Technology</div><div></div></div></div></div></div><div><div>Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com</div></div></div></div>					
<div><div><div><div><div><div>JamesHardie</div><div>Siding Trim</div></div></div></div></div></div>		ABOUT JAMES HARDIE		<div>PRODUCTS</div>	COLOR



STAGGERED EDGE PANEL

Sandstone Beige

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	6 in.
Pcs./Pallet	100
Sq./Pallet	2
Pcs./Sq.	50

Available Colors



[View all HardieShingle Siding Products](#)

Siding	Trim	Soffit	HardieWrap®	Finishing Touches
HardiePlank® Lap Siding	HardiePanel® Vertical Siding		● HardieShingle® Siding	



STRAIGHT EDGE PANEL

Iron Gray

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43

Available Colors



[View all HardieShingle Siding Products](#)

Siding	Trim	Soffit	HardieWrap®	Finishing Touches
HardiePlank® Lap Siding	HardiePanel® Vertical Siding		● HardieShingle® Siding	



INDIVIDUAL SHINGLES*

Monterey Taupe

Thickness	1/4 in.
Length	4.2 in. 5.5 in. 6.75 in. 7.25 in. 10 in.
Height	15.25 in.
Exposure	7 in.
Pcs./Pallet	630
Sq./Pallet	2
Pcs./Sq.	315

Available Colors



[View all HardieShingle Siding Products](#)

*Individual Shingles not available in the Denver district.

Siding	Trim	Soffit	HardieWrap®	Finishing Touches
HardiePlank® Lap Siding	HardiePanel® Vertical Siding		<input checked="" type="radio"/> HardieShingle® Siding	



HALF ROUNDS

Not available with ColorPlus Technology

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exposure	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43

[View all HardieShingle Siding Products](#)

HardieTrim®

Form meets function at every angle with HardieTrim® boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Better than wood, it will complement your long-lasting, lower maintenance James Hardie siding – adding punctuation to your design statement.

HardieTrim®
5/4 x 3.5 in.
Khaki Brown

HardiePlank®
6.25 in. Smooth
Navajo Beige

The performance you require
THE DISTINCTIVENESS YOU DESIRE.

Siding

Trim

Soffit

HardieWrap®

Finishing Touches

● HardieTrim® Boards

HardieTrim® Batten Boards

4/4 RUSTIC GRAIN®

Autumn Tan

4/4 SMOOTH

Autumn Tan


5/4 RUSTIC GRAIN®

Autumn Tan

5/4 SMOOTH

Autumn Tan

Products are available primed or with ColorPlus Technology finishes. All sizes and textures are not available in all areas. For more details, visit [jameshardie.com](#)

JamesHardie

Siding | Trim

ABOUT JAMES HARDIE

PRODUCTS

COLOR



4/4 RUSTIC GRAIN®

Autumn Tan

Thickness	.75 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	322	184	138	115	92

Available Colors



View all HardieTrim Boards



4/4 SMOOTH

Autumn Tan

Thickness	.75 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	322	184	138	115	92

Available Colors



View all HardieTrim Boards



5/4 RUSTIC GRAIN®

Autumn Tan

Thickness	1 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	238*	136*	120*	85*	68*

Available Colors



View all HardieTrim Boards

*Pallet counts shown are for primed HZ10® products. For information on other products, visit jameshardie.com/trim



5/4 SMOOTH

Autumn Tan

Thickness	1 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	238*	136*	120*	85*	68*

Available Colors



View all HardieTrim Boards

*Pallet counts shown are for primed HZ10® products. For information on other products, visit jameshardie.com/trim

HardieTrim® Boards

● HardieTrim® Batten Boards

RUSTIC GRAIN®

Autumn Tan




SMOOTH

Autumn Tan



Products available primed or with ColorPlus Technology finishes. All sizes and textures not available in all areas. For more details, visit [jameshardie.com](https://www.jameshardie.com)



RUSTIC GRAIN®

Autumn Tan

Thickness	.75 in.
Length	12 ft. boards
Width	2.5 in.
Pcs./Pallet	437

Available Colors



View all HardieTrim Batten Boards



SMOOTH

Autumn Tan

Thickness	.75 in.
Length	12 ft. boards
Width	2.5 in.
Pcs./Pallet	437

Available Colors



View all HardieTrim Batten Boards

HardieSoffit®

A home is only as strong as its weakest point. HardieSoffit® panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.

Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and protect it from moisture and pests.

HardieSoffit®
16 in. Vented
Smooth
Arctic White

For complete confidence
EVERY DETAIL MATTERS.

VENTILATION BENEFITS

Using vented soffit improves ventilation in the attic space and reduces the chance of water vapor condensation that can lead to issues such as mold and mildew growth, stained ceilings and damage to the framing of the house.


In warm climates, HardieSoffit panels allow hot, humid air to escape, which not only helps prevent condensation in the attic, but can also help reduce air conditioning costs.

In cool climates, HardieSoffit panels help prevent condensation from forming on the interior side of the roof sheathing and reduce the chances of roof-damaging ice dams.


**Linear Feet of Vented Soffit calculation is based on 2012 International Residential Code (IRC) Section 806.2, Exception 2, with a 50% upper attic and 50% lower attic split of required ventilation, using soffit with a net free ventilation of 5 square inches per linear foot. This Exception is also approved in 2015 IRC Section 806.2. Always consult a building design professional to confirm attic ventilation meets local building code requirements.

Using the proper amount of vented HardieSoffit panels is crucial to a building’s ventilation performance. James Hardie has taken the guess work out of soffit ventilation by providing the table below illustrating the minimum amount of vented HardieSoffit panels recommended for your attic space.**

ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT	ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT
200	10	1700	82
300	14	1800	86
400	19	1900	91
500	24	2000	96
600	29	2100	101
700	34	2200	106
800	38	2300	110
900	43	2400	115
1000	48	2500	120
1100	53	2600	125
1200	58	2700	130
1300	62	2800	134
1400	67	2900	139
1500	72	3000	144
1600	77	3100	149

VENTED CEDARMILL®*Sail Cloth***VENTED SMOOTH***Not available with ColorPlus Technology***NON-VENTED CEDARMILL®***Sail Cloth***NON-VENTED SMOOTH***Not available with ColorPlus Technology*

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com



VENTED CEDARMILL®

Sail Cloth

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100

Available Colors



View all HardieSoffit Products



VENTED SMOOTH

Not available with ColorPlus Technology

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
Pcs./Pallet	200	150	100

View all HardieSoffit Products



NON-VENTED CEDARMILL®

Sail Cloth


Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50

Available Colors



View all HardieSoffit Products

*These 48 in. x 8 ft. panels only available primed.



NON-VENTED SMOOTH

Not available with ColorPlus Technology

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
Pcs./Pallet	200	150	100	50

View all HardieSoffit Products

*These 48 in. x 8 ft. panels only available primed.

HardieWrap®

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify



We've got performance covered
FROM THE INSIDE OUT.

WEATHER BARRIER

Thickness	11 mil.			
Length	100 ft.	100 ft.	150 ft.	150 ft.
Width	3 ft.	9 ft.	9 ft.	10 ft.

PRO-FLASHING

Thickness	20 mil.		
Length	75 ft.	75 ft.	75 ft.
Width	4 in.	6 in.	9 in.

SEAM TAPE

Thickness	3 mil.	
Length	165 ft.	
Width	1-7/8 in.	

FLEX FLASHING

Thickness	60 mil.	
Length	75 ft.	75 ft.
Width	6 in.	9 in.



HardieWrap®
Weather Barrier

HardieWrap®
Pro-Flashing

HardieWrap®
Flex Flashing

HardieWrap®
Seam Tape



To learn more about our weather barrier's advantages, visit hardiewrap.com

Finishing Touches

ColorPlus Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



COLOR-MATCHED CAULK

OSI® QUAD® MAX sealant offers a durable, lower maintenance sealant solution to color match James Hardie ColorPlus products.



Trim Accessories

FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.



CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.

[NEXT SECTION](#)

Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit hardieinstallation.com

Color Inspiration

Use deeper body colors for a warm, welcoming feeling. Make homes appear larger with soft contrasts between siding and trim. The right color combinations leave lasting impressions. Our color specialists designed the rich ColorPlus finish collection to help you express what's special about every home you build.

Khaki Brown

Cobble Stone

Timber Bark

SUBTLE BLENDS

Cast your homes in
THE MOST ROMANTIC LIGHT.




WARM TONES





COOL TONES





Heathered Moss

Arctic White

Mountain Sage

COMPLEMENTARY

Express the true nature of a home’s character with ColorPlus® Technology

Explore our color palettes and differentiate your homes with stunning curb appeal. These distinctive tones are drawn from natural environments, complementing your design with the look of America’s idyllic neighborhoods.




Colors may vary due to different monitor settings. Please see actual product sample for true color.



Selecting a color? Request a product sample at jameshardie.com/samples



1.888.542.7343 | jameshardie.com

© 2015 James Hardie Building Products Inc. All Rights Reserved. TM, SM, and ® denote trademarks or registered trademarks of James Hardie Technology Limited. The , HZ5, HZ10 and ColorPlus Technology logos are registered trademarks of James Hardie Technology Limited. OSI and QUAD are registered symbols of Henkel Corporation. **HS1634 08/15**